

| REV | ECN NO | DESCRIPTION | DATE | NAME |
|-----|--------|-------------|-----------|------|
| A | — | NEW | 06/18-'24 | KJL |

材料要求:

1.材料:黄铜H62

技术要求:

2.电镀,打铜底0.5~1um, 镍1~3um, 雾锡3~5um

3.螺钉扭矩: 24 ibf.in
螺纹符合通止规要求;

Ordering Information





LQT X XX X XXXX

| | | | |
|---------------------------------|-----------------|--|-----------|
| Code | PIN Number | Packing | Serial No |
| M:MALE F:FEMALE (不适用时0表示) | 1~99 (总PIN数) | A:PE Bag 袋装 B:Tube 管装 C:Tray 盘装 D:Reel 卷装 E:Bag and Box 袋加盒 F:Other其他 | 0001~9999 |

抽牙直插脚
TERMINAL

LD CONN 东莞连大精密制品有限公司
DongGuan LianDa Precision Products Co., LTD

| | | | | |
|-------------|-----------------|-------------|-----|-----------|
| TITLE | 抽牙直插脚端子(H=19mm) | DRAWN BY | KJL | 06/18-'24 |
| PART NO. | LQT006A0006 | CHECKED BY | | |
| DRAWING NO. | — | APPROVED BY | | |
| SCALE | 1:1 | UNIT | mm | PAGE 1/1 |
| | | | | SIZE A4 |





PCB. LAYOUT

| | | | |
|---------|------------|-------|---------------|
| >120 | ± 0.50 | | |
| >30~120 | ± 0.30 | | |
| >6~30 | ± 0.20 | | |
| 0~6 | ± 0.10 | ANGLE | $\pm 1^\circ$ |

HSF RoHS

| REV | ECN NO | DESCRIPTION | DATE | NAME |
|-----|--------|-------------|-----------|------|
| A | — | NEW | 06/18-'24 | KJL |





材料要求:

1.材料:黄铜H62

技术要求:

2.电镀,打铜底0.5~1um, 镍1~3um, 雾锡3~5um

3.螺钉扭矩: 24 ibf.in
螺纹符合通止规要求;



PCB. LAYOUT

Ordering Information

LQT X XX X XXXX

| | | | |
|---------------------------------|-----------------|--|-----------|
| Code | PIN Number | Packing | Serial No |
| M:MALE F:FEMALE (不适用时0表示) | 1~99 (总PIN数) | A:PE Bag 袋装 B:Tube 管装 C:Tray 盘装 D:Reel 卷装 E:Bag and Box 袋加盒 F:other其他 | 0001~9999 |





LD CONN 东莞连大精密制品有限公司
DongGuan LianDa Precision Products Co., LTD

| | | | | |
|-------------|------------------|-------------|-----|-----------|
| TITLE | 抽牙直插脚端子 (H=15mm) | DRAWN BY | KJL | 06/18-'24 |
| PART NO. | QT006A0007 | CHECKED BY | | |
| DRAWING NO. | | APPROVED BY | | |
| SCALE | 1:1 | UNIT | mm | PAGE 1/1 |
| | | | | SIZE A4 |

| | | | |
|---------|-------|-------|-----|
| >120 | ±0.50 | | |
| >30~120 | ±0.30 | | |
| >6~30 | ±0.20 | | |
| 0~6 | ±0.10 | ANGLE | ±1° |

HSF RoHS

| REV | ECN NO | DESCRIPTION | DATE | NAME |
|-----|--------|-------------|----------|------|
| A | — | NEW | 06/18'24 | KJL |



PCB. LAYOUT

材料要求:

1.材料:黄铜H62

技术要求:

2.电镀,打铜底0.5~1um, 镍1~3um, 雾锡3~5um

3.螺钉扭矩: 24 ibf.in
螺纹符合通止规要求;

Ordering Information

LQT X XX X XXXX

| Code | PIN Number | Packing | Serial No |
|---------------------------------|-----------------|--|-----------|
| M:MALE F:FEMALE (不适用时0表示) | 1~99 (总PIN数) | A:PE Bag 袋装 B:Tube 管装 C:Tray 盘装 D:Reel 卷装 E:Bag and Box 袋加盒 F:other其他 | 0001~9999 |




LDCONN 东莞连大精密制品有限公司
DongGuan LianDa Precision Products Co., LTD

| | | | | |
|-------------|------------------|-------------|-----|----------|
| TITLE | 抽牙直插脚端子 (H=12mm) | DRAWN BY | KJL | 06/18'24 |
| PART NO. | LQT006A0008 | CHECKED BY | | |
| DRAWING NO. | | APPROVED BY | | |
| SCALE | 1:1 | UNIT | mm | PAGE 1/1 |
| | | | | SIZE A4 |

| | | | |
|---------|-------|-------|-----|
| >120 | ±0.50 | | |
| >30~120 | ±0.30 | | |
| >6~30 | ±0.20 | | |
| 0~6 | ±0.10 | ANGLE | ±1° |

HSF RoHS

| REV | ECN NO | DESCRIPTION | DATE | NAME |
|-----|--------|-------------|-----------|------|
| A | — | NEW | 06/18-'24 | KJL |



Ordering Information

| | | | | |
|---------------------------------|-----------------|--|-----------|------|
| LQT | X | XX | X | XXXX |
| Code | PIN Number | Packing | Serial No | |
| M:MALE F:FEMALE (不适用时0表示) | 1~99 (总PIN数) | A:PE Bag 袋装 B:Tube 管装 C:Tray 盘装 D:Reel 卷装 E:Bag and Box 袋加盒 F:Other其他 | 0001~9999 | |

材料要求:

1.材料:黄铜H62

技术要求:

2.电镀,打铜底0.5~1um, 镍1~3um, 雾锡3~5um

3.螺钉扭矩: 24 ibf.in

螺纹符合通止规要求;

| | | | |
|---------|-------|-------|-----|
| >120 | ±0.50 | | |
| >30~120 | ±0.30 | | |
| >6~30 | ±0.20 | | |
| 0~6 | ±0.10 | ANGLE | ±1° |

LDCONN 东莞连大精密制品有限公司
 連大 DongGuan LianDa Precision Products Co., LTD

| | | | | |
|-------------|---------------------|-------------|-----|-----------|
| TITLE | 抽牙直插脚贴板端子 (H=9.7mm) | DRAWN BY | KJL | 06/18-'24 |
| PART NO. | LQT006A0009 | CHECKED BY | | |
| DRAWING NO. | — | APPROVED BY | | |
| SCALE | 1:1 | UNIT | mm | PAGE 1/1 |
| | | | | SIZE A4 |